WO 2005/036826 Page: 1/

PCT/KR2004/002368

1/4 FIG. 1




FIG. 2

	NETWORK DESTINATION	NETWORK	GATEWAY
DEVICE(120)	0.0.0.0	0.0.0.0	150.150.67.254
,	192.168.2.0	255.255.255.0	192.168.1.105
DEVICE(130)	0.0.0.0	0.0.0.0	192.168.1.254
	192.168.2.0	255.255.255.0	192.168.1.105
DEVICE(150)	0.0.0.0 ·	0.0.0.0	192.168.1.254
DEVICE(152)	. 0.0.0.0	0.0.0.0	192,168,2,254

Inventor: Ku-Bong Min
Express Mail No.: EV 708299704 US
Attorney Docket No: 2080-3506
For: METHOD FOR AUTOMATICALLY SETTING
NETWORK
Page: 2¹⁴

WO 2005/036826

Page: 2/4

PCT/KR2004/002368

2/4

VARIABLE NAME	Req. or Opt.	DATA TYPE	EVENTED	MODERATED EVENT
IP ADDRESS LIST	Req.	STRING	YES	NO

```
<IPAddressList>
              <IPAddress>
                      <Value>150.150.67.230</Value>
                      <NetMask>255.255.0/NetMask>
                      <Interface>wan0<Interface>
                      <forwarding>true</forwarding>
<MulticastForwarding>false</MulticastForwarding>
              </IPAddress>
              <!PAddress>...</!PAddress>
</IPAddressList>
```

Inventor: Ku-Bong Min
Express Mail No.: EV 708299704 US
Attorney Docket No: 2080-3506
For: METHOD FOR AUTOMATICALLY SETTING
NETWORK

WO 2005/036826

Page: 3/4

PCT/KR2004/002368

FIG.

NAME ·	Req. or Opt
GetRoutingTable .	Req.
AddRoutingTableEntry	Req.
DeleteRoutingTableEntry	Req.
EnableForwarding	· Opt.
EnableMulticastForwarding	Opt.
DisableForwarding	Opt.
DisableMulticastForwarding	Opt.

FIG.

```
<RoutingTable>
```

<Entry>

<Index>1</Index>

<NetworkDestination>192.168.2.0/NetworkDestination>

<NetMask>255.255.255.0/NetMask>

<Gateway>192.168.1.105</Gateway>

</Entry>


<Entry>...</Entry>

</RoutingTable>

Inventor: Ku-Bong Min
Express Mail No.: EV 708299704 US
Attorney Docket No: 2080-3506
For: METHOD FOR AUTOMATICALLY SETTING
NETWORK
Page: 4/4

WO 2005/036826

PCT/KR2004/002368



Best Available Copy